

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Nov 2024

Print date: 23 May 2025

Version: 6

Page 1/18

VELO Sweet Papaya Strong [•••] Slim

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

VELO Sweet Papaya Strong [•••] Slim

Other means of identification:

LYFT Sweet Papaya Strong [•••] Slim
VELO/LYFT Sweet Papaya Strong 8mg Slim
VELO/LYFT Sweet Papaya 8mg
VELO/LYFT Sweet Papaya [•••]
LYFT/VELO x McLaren Sweet Papaya Classic 8mg LEPP Slim
LYFT/VELO x McLaren Sweet Papaya Classic [•••] LEPP Slim

VELO/LYFT Sweet Papaya Original 8mg Slim
VELO/LYFT Sweet Papaya Original [•••] Slim

VELO/LYFT Sweet Papaya 8mg LEP Medium Slim
VELO/LYFT Sweet Papaya [•••] LEP Medium Slim

VELO/LYFT Sweet Papaya Medium 8mg Slim
VELO/LYFT Sweet Papaya Medium [•••] Slim

VELO/LYFT Sweet Papaya 8mg/pouch Original Slim

VELO/LYFT Sweet Papaya Класичний 8mg Slim
VELO/LYFT Sweet Papaya Класичний [•••] Slim

VELO/LYFT Papaya Original 8mg slim
VELO/LYFT Papaya Original [***] slim

PTN01811 v1 - B2

UFI:

98C0-7D7Q-UC51-0PJW

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

The product is intended for consumer use.

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

BAT Pécsi Dohánygyár Kft.

Francia utca 2

7630 Pécs

Hungary

Telephone: +36 72 504 100

E-mail: sds-eliquid@bat.com

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Fiedler & Lundgren AB

Stenåldersgatan 23-25

213 76 Malmö

Sweden

Telephone: +46406359900

E-mail: sds-eliquid@bat.com

1.4. Emergency telephone number

Toxikologické informační středisko,
Klinika pracovního lékařství VFN a 1. LF UK ;
Na Bojišti 1,
120 00 Praha 2, 24h: +420 224 919 293, +420 224 915 402, a jen při poruše tel. +420 725 103 658 ;
Carechem 24 International: +420 228 882 830

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Nov 2024
Print date: 23 May 2025
Version: 6

Page 2/18

VELO Sweet Papaya Strong [•••] Slim

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (oral) (Acute Tox. 4)	H302: Harmful if swallowed.	Calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

Hazard components for labelling:
nicotine

Hazard statements for health hazards	
H302	Harmful if swallowed.
Supplemental hazard information	
EUH208	Contains Furaneol, benzyl alcohol. May produce an allergic reaction.
Precautionary statements	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
Precautionary statements Prevention	
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
Precautionary statements Response	
P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor/... if you feel unwell.
Precautionary statements Disposal	
P501	Dispose of contents in accordance with local, regional or national regulations.

2.3. Other hazards

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Nov 2024

Print date: 23 May 2025

Version: 6

Page 3/18

VELO Sweet Papaya Strong [•••] Slim

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 532-32-1 EC No.: 208-534-8	sodium benzoate Eye Irrit. 2 (H319)  Warning	0 - ≤ 1.530547 weight-%
CAS No.: 54-11-5 EC No.: 200-193-3 Index No.: 614-001-00-4 REACH No.: 01-2120066934-47-0000	nicotine Acute Tox. 2 (H330, H310, H300), Aquatic Chronic 2 (H411)   Danger Acute Toxicity Estimate ATE (oral) 5 mg/kg ATE (dermal) 70 mg/kg ATE (inhalation, dust/mist) 0.19 mg/L	0 - ≤ 1.210048 weight-%
CAS No.: 100-51-6 EC No.: 202-859-9 REACH No.: 01-2119492630-38-0000	benzyl alcohol Acute Tox. 4 (H302, H332), Eye Irrit. 2 (H319), Skin Sens. 1 (H317)  Warning Acute Toxicity Estimate ATE (oral) 1,620 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, dust/mist) 4.18 mg/L	0 - ≤ 0.100009 weight-%
CAS No.: 123-86-4 EC No.: 204-658-1 Index No.: 607-025-00-1 REACH No.: 01-2119485493-29-0000	n-butyl acetate Flam. Liq. 3 (H226), STOT SE 3 (H336)   Warning EUH066	0 - ≤ 0.050004 weight-%
CAS No.: 3658-77-3 EC No.: 222-908-8	Furaneol Acute Tox. 4 (H302), Eye Dam. 1 (H318), Skin Corr. 1B (H314), Skin Sens. 1A (H317)   Danger Acute Toxicity Estimate ATE (oral) = 2,320 mg/kg	0 - ≤ 0.024002 weight-%
CAS No.: 101-84-8 EC No.: 202-981-2 REACH No.: 01-2119472545-33-0000	diphenyl ether Aquatic Acute 1 (H400), Aquatic Chronic 3 (H412), Eye Irrit. 2 (H319)   Warning Acute Toxicity Estimate ATE (oral) 2,450 mg/kg ATE (dermal) > 7,940 mg/kg	0 - ≤ 0.004 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Do not leave affected person unattended.

Following inhalation:

Provide fresh air.

In case of skin contact:

Take off immediately all contaminated clothing.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Nov 2024

Print date: 23 May 2025

Version: 6

Page 4/18

VELO Sweet Papaya Strong [•••] Slim

Following ingestion:

Rinse mouth. Get medical advice/attention if you feel unwell.

Self-protection of the first aider:

Wear personal protection equipment (refer to section 8). No direct artificial respiration to be given by first aider.

4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

If exposed to large quantities of the product, acute nicotine poisoning might occur causing symptoms such as nausea, excess salivation, abdominal pain, diarrhoea, sweating, headache, dizziness, disturbed hearing and weakness. In extreme cases, these symptoms may be followed by depression of the central nervous system, including confusion, hypotension, rapid or weak or irregular pulse, breathing difficulties, prostration, circulatory collapse and terminal convulsions.

4.3. Indication of any immediate medical attention and special treatment needed

ONLY FOR MEDICAL PERSONNEL: In case of severe nicotine poisoning, if airway is secured, administration of activated charcoal should be considered. Do NOT administer antacids; alkaline conditions improve the absorption of nicotine. Monitor breathing patterns and maintain circulation. Cholinergic symptoms may be treated with atropine.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Dry extinguishing powder, alcohol resistant foam, Water spray jet

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Do not enter storage, handling and production areas if unauthorized.

Emergency procedures:

Do not walk on the spillage and avoid any kind of contact. Ventilate affected area if safe to do so.

Evacuate the danger area immediately and follow the emergency procedures of your workplace.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Collect spillage. Measures to prevent aerosol and dust generation: Wet clean or vacuum up solids.

For cleaning up:

Water (with cleaning agent)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Nov 2024
Print date: 23 May 2025
Version: 6

Page 5/18

VELO Sweet Papaya Strong [•••] Slim

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

It is recommended to design all work processes always so that the following is excluded: Strong acid, Highly oxidising substances. Wear personal protection equipment (refer to section 8). Do not breathe dust.

Fire prevent measures:

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. To avoid the risk of fire, do not allow this product to dry out.

Measures to prevent aerosol and dust generation:

Dust should be exhausted directly at the point of origin. Additional measures for respiratory protection: High efficiency particulate air filter (HEPA filter)

Advices on general occupational hygiene

Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Ensure adequate ventilation of the storage area.

Hints on storage assembly:

Keep away from: Strong acid, Highly oxidising substances

Storage class (TRGS 510, Germany): 10 - 13 - Other combustible and non-combustible substances

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
CZ from 1 Jan 2024	nicotine CAS No.: 54-11-5 EC No.: 200-193-3	① 0.07 ppm (0.5 mg/m³) ② 0.37 ppm (2.5 mg/m³) ⑤ (může pronikat pokožkou) D
IOELV (EU)	nicotine CAS No.: 54-11-5 EC No.: 200-193-3	① 0.5 mg/m³ ⑤ (May be absorbed through the skin.)
CZ from 1 Jan 2024	benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	① 9 ppm (40 mg/m³) ② 18 ppm (80 mg/m³)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Nov 2024

Print date: 23 May 2025

Version: 6

Page 6/18

VELO Sweet Papaya Strong [•••] Slim

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
IOELV (EU) from 20 Nov 2019	n-butyl acetate CAS No.: 123-86-4 EC No.: 204-658-1	① 50 ppm (241 mg/m ³) ② 150 ppm (723 mg/m ³)
CZ from 1 Jan 2024	n-butyl acetate CAS No.: 123-86-4 EC No.: 204-658-1	① 50 ppm (241 mg/m ³) ② 150 ppm (723 mg/m ³)
CZ from 1 Jan 2024	butan-1-ol CAS No.: 71-36-3 EC No.: 200-751-6	① 97 ppm (300 mg/m ³) ② 194 ppm (600 mg/m ³) ⑤ I
CZ from 1 Jan 2024	1-Pentanol CAS No.: 71-41-0 EC No.: 200-752-1	① 82 ppm (300 mg/m ³) ② 164 ppm (600 mg/m ³) ⑤ I
CZ from 1 Jan 2024	diphenyl ether CAS No.: 101-84-8 EC No.: 202-981-2	① 0.7 ppm (5 mg/m ³) ② 1.4 ppm (10 mg/m ³) ⑤ I
IOELV (EU) from 21 Feb 2017	diphenyl ether CAS No.: 101-84-8 EC No.: 202-981-2	① 1 ppm (7 mg/m ³) ② 2 ppm (14 mg/m ³)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
sodium benzoate CAS No.: 532-32-1 EC No.: 208-534-8	3 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
sodium benzoate CAS No.: 532-32-1 EC No.: 208-534-8	1.5 mg/m ³	① DNEL Consumer ② Long-term - inhalation, systemic effects
sodium benzoate CAS No.: 532-32-1 EC No.: 208-534-8	0.1 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects
sodium benzoate CAS No.: 532-32-1 EC No.: 208-534-8	0.06 mg/m ³	① DNEL Consumer ② Long-term - inhalation, local effects
sodium benzoate CAS No.: 532-32-1 EC No.: 208-534-8	62.5 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
sodium benzoate CAS No.: 532-32-1 EC No.: 208-534-8	31.25 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects
sodium benzoate CAS No.: 532-32-1 EC No.: 208-534-8	16.6 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.0313 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	8.6 mg/m ³	① DNEL worker ② Acute - inhalation, systemic effects

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Nov 2024

Print date: 23 May 2025

Version: 6

Page 7/18

VELO Sweet Papaya Strong [•••] Slim

Substance name	DNEL value	① DNEL type ② Exposure route
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.0443 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.84 mg/kg bw/day	① DNEL worker ② Acute - dermal, systemic effects
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.2 mg/cm ²	① DNEL worker ② Acute - dermal, local effects
benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	22 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	5.4 mg/m ³	① DNEL Consumer ② Long-term - inhalation, systemic effects
benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	110 mg/m ³	① DNEL worker ② Acute - inhalation, systemic effects
benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	27 mg/m ³	① DNEL Consumer ② Acute - inhalation, systemic effects
benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	8 mg/kg bw/ day	① DNEL worker ② Long-term - dermal, systemic effects
benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	40 mg/kg bw/ day	① DNEL worker ② Acute - dermal, systemic effects
ethyl butyrate CAS No.: 105-54-4 EC No.: 203-306-4	49.3 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
ethyl butyrate CAS No.: 105-54-4 EC No.: 203-306-4	2.33 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
L-menthol CAS No.: 2216-51-5 EC No.: 218-690-9	132 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
L-menthol CAS No.: 2216-51-5 EC No.: 218-690-9	10 mg/cm ²	① DNEL worker ② Long-term - inhalation, local effects
L-menthol CAS No.: 2216-51-5 EC No.: 218-690-9	10 mg/m ³	① DNEL worker ② Acute - inhalation, local effects
L-menthol CAS No.: 2216-51-5 EC No.: 218-690-9	19 mg/kg bw/ day	① DNEL worker ② Long-term - dermal, systemic effects
2-ethyl-3-hydroxy-4-pyrone CAS No.: 4940-11-8 EC No.: 225-582-5	58.7 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
2-ethyl-3-hydroxy-4-pyrone CAS No.: 4940-11-8 EC No.: 225-582-5	16.7 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
3-ethoxy-4-hydroxybenzaldehyde CAS No.: 121-32-4 EC No.: 204-464-7	49 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
3-ethoxy-4-hydroxybenzaldehyde CAS No.: 121-32-4 EC No.: 204-464-7	98 mg/m ³	① DNEL worker ② Acute - inhalation, systemic effects

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Nov 2024

Print date: 23 May 2025

Version: 6

Page 8/18

VELO Sweet Papaya Strong [•••] Slim

Substance name	DNEL value	① DNEL type ② Exposure route
3-ethoxy-4-hydroxybenzaldehyde CAS No.: 121-32-4 EC No.: 204-464-7	7 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
benzaldehyde CAS No.: 100-52-7 EC No.: 202-860-4	9.8 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
benzaldehyde CAS No.: 100-52-7 EC No.: 202-860-4	9.8 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects
benzaldehyde CAS No.: 100-52-7 EC No.: 202-860-4	1.14 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
butan-1-ol CAS No.: 71-36-3 EC No.: 200-751-6	310 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects
1-Pentanol CAS No.: 71-41-0 EC No.: 200-752-1	73.16 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects
1-Pentanol CAS No.: 71-41-0 EC No.: 200-752-1	292 mg/m ³	① DNEL worker ② Acute - inhalation, local effects
diphenyl ether CAS No.: 101-84-8 EC No.: 202-981-2	59 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
diphenyl ether CAS No.: 101-84-8 EC No.: 202-981-2	7 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects
diphenyl ether CAS No.: 101-84-8 EC No.: 202-981-2	14 mg/m ³	① DNEL worker ② Acute - inhalation, local effects
diphenyl ether CAS No.: 101-84-8 EC No.: 202-981-2	25 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
Terpinolene CAS No.: 586-62-9 EC No.: 209-578-0	3.6 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
Terpinolene CAS No.: 586-62-9 EC No.: 209-578-0	0.52 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
Terpinolene CAS No.: 586-62-9 EC No.: 209-578-0	0.044 mg/cm ²	① DNEL worker ② Long-term - dermal, local effects
Orange Oil, Terpeneless CAS No.: 68606-94-0 EC No.: 232-433-8	31.1 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
Orange Oil, Terpeneless CAS No.: 68606-94-0 EC No.: 232-433-8	8.89 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
Orange Oil, Terpeneless CAS No.: 68606-94-0 EC No.: 232-433-8	0.1858 mg/cm ²	① DNEL worker ② Acute - dermal, local effects
cis-hex-3-en-1-ol CAS No.: 928-96-1 EC No.: 213-192-8	11.75 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
cis-hex-3-en-1-ol CAS No.: 928-96-1 EC No.: 213-192-8	3.33 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Nov 2024

Print date: 23 May 2025

Version: 6

Page 9/18

VELO Sweet Papaya Strong [•••] Slim

Substance name	DNEL value	① DNEL type ② Exposure route
hexanal CAS No.: 66-25-1 EC No.: 200-624-5	16.46 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
hexanal CAS No.: 66-25-1 EC No.: 200-624-5	4.67 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
linalool CAS No.: 78-70-6 EC No.: 201-134-4	2.8 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
linalool CAS No.: 78-70-6 EC No.: 201-134-4	2.5 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects
linalool CAS No.: 78-70-6 EC No.: 201-134-4	3 mg/cm ²	① DNEL worker ② Acute - dermal, systemic effects
linalool CAS No.: 78-70-6 EC No.: 201-134-4	5 mg/kg	① DNEL worker ② Long-term - dermal, local effects
linalool CAS No.: 78-70-6 EC No.: 201-134-4	3 mg/cm ²	① DNEL worker ② Acute - dermal, local effects

Substance name	PNEC Value	① PNEC type
sodium benzoate CAS No.: 532-32-1 EC No.: 208-534-8	0.13 mg/L	① PNEC aquatic, freshwater
sodium benzoate CAS No.: 532-32-1 EC No.: 208-534-8	0.013 mg/L	① PNEC aquatic, marine water
sodium benzoate CAS No.: 532-32-1 EC No.: 208-534-8	10 mg/L	① PNEC sewage treatment plant
sodium benzoate CAS No.: 532-32-1 EC No.: 208-534-8	1.76 mg/kg	① PNEC sediment, freshwater
sodium benzoate CAS No.: 532-32-1 EC No.: 208-534-8	0.176 mg/kg	① PNEC sediment, marine water
sodium benzoate CAS No.: 532-32-1 EC No.: 208-534-8	0.06 mg/kg	① PNEC soil
sodium benzoate CAS No.: 532-32-1 EC No.: 208-534-8	300 mg/kg	① PNEC secondary poisoning
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.0004 mg/L	① PNEC aquatic, freshwater
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.00004 mg/L	① PNEC aquatic, marine water
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	2.7 mg/L	① PNEC sewage treatment plant
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.00065 mg/ kg	① PNEC sediment, freshwater
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.000065 mg/ kg	① PNEC sediment, marine water

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Nov 2024

Print date: 23 May 2025

Version: 6

Page 10/18

VELO Sweet Papaya Strong [•••] Slim

Substance name	PNEC Value	① PNEC type
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.000321 mg/kg	① PNEC soil, freshwater
benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	1 mg/L	① PNEC aquatic, freshwater
benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	0.1 mg/L	① PNEC aquatic, marine water
benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	39 mg/L	① PNEC sewage treatment plant
benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	5.27 mg/kg	① PNEC sediment, freshwater
benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	0.527 mg/kg	① PNEC sediment, marine water
benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9	0.456 mg/kg	① PNEC soil, freshwater
L-menthol CAS No.: 2216-51-5 EC No.: 218-690-9	15.6 µg/L	① PNEC aquatic, freshwater
L-menthol CAS No.: 2216-51-5 EC No.: 218-690-9	1.56 µg/L	① PNEC aquatic, marine water
L-menthol CAS No.: 2216-51-5 EC No.: 218-690-9	2.37 mg/L	① PNEC sewage treatment plant
L-menthol CAS No.: 2216-51-5 EC No.: 218-690-9	0.289 mg/kg	① PNEC sediment, freshwater
L-menthol CAS No.: 2216-51-5 EC No.: 218-690-9	0.0289 mg/kg	① PNEC sediment, marine water
L-menthol CAS No.: 2216-51-5 EC No.: 218-690-9	0.0484 mg/kg	① PNEC soil, freshwater
vanillin CAS No.: 121-33-5 EC No.: 204-465-2	0.118 mg/L	① PNEC aquatic, freshwater
vanillin CAS No.: 121-33-5 EC No.: 204-465-2	0.012 mg/L	① PNEC aquatic, marine water
vanillin CAS No.: 121-33-5 EC No.: 204-465-2	10 mg/L	① PNEC sewage treatment plant
vanillin CAS No.: 121-33-5 EC No.: 204-465-2	58.22 mg/kg	① PNEC sediment, freshwater
vanillin CAS No.: 121-33-5 EC No.: 204-465-2	5.822 mg/kg	① PNEC sediment, marine water
vanillin CAS No.: 121-33-5 EC No.: 204-465-2	11.54 mg/kg	① PNEC soil, freshwater
3-ethoxy-4-hydroxybenzaldehyde CAS No.: 121-32-4 EC No.: 204-464-7	0.118 mg/L	① PNEC aquatic, freshwater

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Nov 2024

Print date: 23 May 2025

Version: 6

Page 11/18

VELO Sweet Papaya Strong [•••] Slim

Substance name	PNEC Value	① PNEC type
3-ethoxy-4-hydroxybenzaldehyde CAS No.: 121-32-4 EC No.: 204-464-7	0.012 mg/L	① PNEC aquatic, marine water
3-ethoxy-4-hydroxybenzaldehyde CAS No.: 121-32-4 EC No.: 204-464-7	10 mg/L	① PNEC sewage treatment plant
3-ethoxy-4-hydroxybenzaldehyde CAS No.: 121-32-4 EC No.: 204-464-7	15 mg/kg	① PNEC sediment, freshwater
3-ethoxy-4-hydroxybenzaldehyde CAS No.: 121-32-4 EC No.: 204-464-7	1.5 mg/kg	① PNEC sediment, marine water
3-ethoxy-4-hydroxybenzaldehyde CAS No.: 121-32-4 EC No.: 204-464-7	2.923 mg/kg	① PNEC soil, freshwater
benzaldehyde CAS No.: 100-52-7 EC No.: 202-860-4	0.002 mg/L	① PNEC aquatic, freshwater
benzaldehyde CAS No.: 100-52-7 EC No.: 202-860-4	0.0002 mg/L	① PNEC aquatic, marine water
benzaldehyde CAS No.: 100-52-7 EC No.: 202-860-4	7.59 mg/L	① PNEC sewage treatment plant
benzaldehyde CAS No.: 100-52-7 EC No.: 202-860-4	0.022 mg/kg	① PNEC sediment, freshwater
benzaldehyde CAS No.: 100-52-7 EC No.: 202-860-4	0.0022 mg/kg	① PNEC sediment, marine water
benzaldehyde CAS No.: 100-52-7 EC No.: 202-860-4	0.003 mg/kg	① PNEC soil, freshwater
benzyl acetate CAS No.: 140-11-4 EC No.: 205-399-7	0.018 mg/L	① PNEC aquatic, freshwater
benzyl acetate CAS No.: 140-11-4 EC No.: 205-399-7	0.002 mg/L	① PNEC aquatic, marine water
benzyl acetate CAS No.: 140-11-4 EC No.: 205-399-7	8.55 mg/L	① PNEC sewage treatment plant
benzyl acetate CAS No.: 140-11-4 EC No.: 205-399-7	0.526 mg/kg	① PNEC sediment, freshwater
benzyl acetate CAS No.: 140-11-4 EC No.: 205-399-7	0.053 mg/kg	① PNEC sediment, marine water
benzyl acetate CAS No.: 140-11-4 EC No.: 205-399-7	0.094 mg/kg	① PNEC soil, freshwater
decan-4-olide CAS No.: 706-14-9 EC No.: 211-892-8	0.0204 mg/L	① PNEC aquatic, freshwater
decan-4-olide CAS No.: 706-14-9 EC No.: 211-892-8	0.00204 mg/L	① PNEC aquatic, marine water
decan-4-olide CAS No.: 706-14-9 EC No.: 211-892-8	80 mg/L	① PNEC sewage treatment plant

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Nov 2024

Print date: 23 May 2025

Version: 6

Page 12/18

VELO Sweet Papaya Strong [•••] Slim

Substance name	PNEC Value	① PNEC type
decan-4-olide CAS No.: 706-14-9 EC No.: 211-892-8	0.765 mg/kg	① PNEC sediment, freshwater
decan-4-olide CAS No.: 706-14-9 EC No.: 211-892-8	0.0765 mg/kg	① PNEC sediment, marine water
decan-4-olide CAS No.: 706-14-9 EC No.: 211-892-8	66.7 mg/kg	① PNEC secondary poisoning
decan-4-olide CAS No.: 706-14-9 EC No.: 211-892-8	0.141 mg/kg	① PNEC soil, freshwater
diphenyl ether CAS No.: 101-84-8 EC No.: 202-981-2	10 mg/L	① PNEC sewage treatment plant
diphenyl ether CAS No.: 101-84-8 EC No.: 202-981-2	0.093 mg/kg	① PNEC sediment, freshwater
diphenyl ether CAS No.: 101-84-8 EC No.: 202-981-2	0.009 mg/kg	① PNEC sediment, marine water
diphenyl ether CAS No.: 101-84-8 EC No.: 202-981-2	0.018 mg/kg	① PNEC soil, freshwater
Terpinolene CAS No.: 586-62-9 EC No.: 209-578-0	0.000634 mg/L	① PNEC aquatic, freshwater
Terpinolene CAS No.: 586-62-9 EC No.: 209-578-0	0.000063 mg/L	① PNEC aquatic, marine water
Terpinolene CAS No.: 586-62-9 EC No.: 209-578-0	0.2 mg/L	① PNEC sewage treatment plant
Terpinolene CAS No.: 586-62-9 EC No.: 209-578-0	0.147 mg/kg	① PNEC sediment, freshwater
Terpinolene CAS No.: 586-62-9 EC No.: 209-578-0	0.0147 mg/kg	① PNEC sediment, marine water
Terpinolene CAS No.: 586-62-9 EC No.: 209-578-0	0.0147 mg/kg	① PNEC secondary poisoning
Terpinolene CAS No.: 586-62-9 EC No.: 209-578-0	0.0291 mg/kg	① PNEC soil, freshwater
Orange Oil, Terpeneless CAS No.: 68606-94-0 EC No.: 232-433-8	5.4 µg/L	① PNEC aquatic, freshwater
Orange Oil, Terpeneless CAS No.: 68606-94-0 EC No.: 232-433-8	0.54 µg/L	① PNEC aquatic, marine water
Orange Oil, Terpeneless CAS No.: 68606-94-0 EC No.: 232-433-8	2.1 mg/L	① PNEC sewage treatment plant
Orange Oil, Terpeneless CAS No.: 68606-94-0 EC No.: 232-433-8	1.3 mg/kg	① PNEC sediment, freshwater
Orange Oil, Terpeneless CAS No.: 68606-94-0 EC No.: 232-433-8	0.13 mg/kg	① PNEC sediment, marine water

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Nov 2024
Print date: 23 May 2025
Version: 6

Page 13/18

VELO Sweet Papaya Strong [•••] Slim

Substance name	PNEC Value	① PNEC type
Orange Oil, Terpeneless CAS No.: 68606-94-0 EC No.: 232-433-8	0.261 mg/kg	① PNEC soil, freshwater

8.2. Exposure controls

8.2.1. Appropriate engineering controls

The exposure frequency, duration and number of exposed persons shall be minimised.

8.2.2. Personal protection equipment



Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber). In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

Usually no personal respiratory protection necessary. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Half-face mask (EN 149 / EN 140-EN 143). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: solid

Form: Powder

Colour: white

Odour: fruity

flammability: No data available

Safety relevant basis data

Parameter	Value	① Method ② Remark
pH	6	② in aqueous solution 5 %
Melting point	No data available	
Freezing point	No data available	
Initial boiling point and boiling range	No data available	
Evaporation rate	No data available	
Vapour pressure	No data available	
Density	No data available	
Bulk density	No data available	
Water solubility	No data available	

particle characteristics:

No data available

9.2. Other information

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Nov 2024

Print date: 23 May 2025

Version: 6

Page 14/18

VELO Sweet Papaya Strong [•••] Slim

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non-reactive under normal use conditions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Avoid high temperatures or direct sunlight. Do not dry up the product.

10.5. Incompatible materials

Strong acid, Highly oxidising substances.

10.6. Hazardous decomposition products

Decomposition products in case of fire: see section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

nicotine	CAS No.: 54-11-5	EC No.: 200-193-3
-----------------	------------------	-------------------

ATE (oral)¹:	5 mg/kg
--------------------------------	---------

ATE (dermal)¹:	70 mg/kg
----------------------------------	----------

ATE (inhalation, dust/mist)¹:	0.19 mg/L
---	-----------

LD₅₀ oral:	=5 mg/kg (Rat)
------------------------------	----------------

LD₅₀ dermal:	=70 mg/kg (Rabbit)
--------------------------------	--------------------

LC₅₀ Acute inhalation toxicity (dust/mist):	=0.19 mg/L (Rat)
---	------------------

benzyl alcohol	CAS No.: 100-51-6	EC No.: 202-859-9
-----------------------	-------------------	-------------------

LD₅₀ oral:	1,620 mg/kg (Rat)
------------------------------	-------------------

LD₅₀ dermal:	>2,000 mg/kg
--------------------------------	--------------

LC₅₀ Acute inhalation toxicity (dust/mist):	4.18 mg/L 4 h (Rat)
---	---------------------

Furaneol	CAS No.: 3658-77-3	EC No.: 222-908-8
-----------------	--------------------	-------------------

LD₅₀ oral:	=2,320 mg/kg (Rat) OECD 401
------------------------------	-----------------------------

diphenyl ether	CAS No.: 101-84-8	EC No.: 202-981-2
-----------------------	-------------------	-------------------

LD₅₀ oral:	2,450 mg/kg (Rat)
------------------------------	-------------------

LD₅₀ dermal:	>7,940 mg/kg (Rabbit)
--------------------------------	-----------------------

¹: Acute Toxicity Estimate. Harmonised (legal) classification.

Acute oral toxicity:

Harmful if swallowed.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Contains Furaneol, benzyl alcohol. May produce an allergic reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Nov 2024

Print date: 23 May 2025

Version: 6

Page 15/18

VELO Sweet Papaya Strong [•••] Slim

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

nicotine CAS No.: 54-11-5 EC No.: 200-193-3

LC₅₀: ≥3 mg/L 4 d (fish, *Oncorhynchus mykiss* (Rainbow trout)) OECD 203

EC₅₀: =0.24 mg/L 2 d (crustaceans, *Daphnia magna* (Big water flea))

EC₅₀: =11 mg/L 3 d (Algae/water plant, *Desmodesmus subspicatus*) OECD 201

NOEC: =3.2 mg/L 3 d (Algae/water plant, *Desmodesmus subspicatus*) OECD 201

LC₅₀: 4 mg/L 4 d (fish, *Oncorhynchus mykiss* (Rainbow trout))

EC₅₀: 11 mg/L 3 d (Algae/water plant)

benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9

LC₅₀: 460 mg/L 4 d (fish, *Pimephales promelas* (fathead minnow))

LC₅₀: 230 mg/L 2 d (crustaceans, *Daphnia magna* (Big water flea)) OECD 202

NOEC: 48.897 mg/L QSAR

NOEC: 51 mg/L 21 d (crustaceans, *Daphnia magna* (Big water flea)) OECD 211

NOEC: 310 mg/L 3 d (Algae/water plant, *Pseudokirchneriella subcapitata*) OECD 201

ErC₅₀: 770 mg/L 3 d (Algae/water plant, *Pseudokirchneriella subcapitata*) OECD 201

Furaneol CAS No.: 3658-77-3 EC No.: 222-908-8

EC₅₀: =6.8 mg/L 2 d (crustaceans, *Daphnia magna* (Big water flea)) OECD 202

EC₅₀: =123 mg/L 3 d (Algae/water plant)

diphenyl ether CAS No.: 101-84-8 EC No.: 202-981-2

LC₅₀: 4.2 mg/L 4 d (fish, *Oncorhynchus mykiss* (Rainbow trout))

LC₅₀: 1.96 mg/L 2 d (crustaceans, *Daphnia magna* (Big water flea)) OECD 202

NOEC: 0.24 mg/L 3 d (Algae/water plant, *Pseudokirchneriella subcapitata*) OECD 201

ErC₅₀: 0.455 mg/L 4 d (Algae/water plant, *Pseudokirchneriella subcapitata*) OECD 201

12.2. Persistence and degradability

sodium benzoate CAS No.: 532-32-1 EC No.: 208-534-8

Biodegradation: Yes, rapidly

nicotine CAS No.: 54-11-5 EC No.: 200-193-3

Biodegradation: Yes, rapidly

benzyl alcohol CAS No.: 100-51-6 EC No.: 202-859-9

Biodegradation: Yes, rapidly

Furaneol CAS No.: 3658-77-3 EC No.: 222-908-8

Biodegradation: Yes, rapidly

diphenyl ether CAS No.: 101-84-8 EC No.: 202-981-2

Biodegradation: Yes, rapidly

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Nov 2024
Print date: 23 May 2025
Version: 6

Page 16/18

VELO Sweet Papaya Strong [•••] Slim

12.3. Bioaccumulative potential

sodium benzoate	CAS No.: 532-32-1	EC No.: 208-534-8
Log K_{OW}:	1.88	
nicotine	CAS No.: 54-11-5	EC No.: 200-193-3
Log K_{OW}:	1.17	
benzyl alcohol	CAS No.: 100-51-6	EC No.: 202-859-9
Log K_{OW}:	1.1	
Bioconcentration factor (BCF):	1.37	
Furaneol	CAS No.: 3658-77-3	EC No.: 222-908-8
Log K_{OW}:	0.95	
diphenyl ether	CAS No.: 101-84-8	EC No.: 202-981-2
Log K_{OW}:	4.21	
Bioconcentration factor (BCF):	200	

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

sodium benzoate	CAS No.: 532-32-1	EC No.: 208-534-8
Results of PBT and vPvB assessment:	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.	
nicotine	CAS No.: 54-11-5	EC No.: 200-193-3
Results of PBT and vPvB assessment:	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.	
benzyl alcohol	CAS No.: 100-51-6	EC No.: 202-859-9
Results of PBT and vPvB assessment:	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.	
n-butyl acetate	CAS No.: 123-86-4	EC No.: 204-658-1
Results of PBT and vPvB assessment:	—	
diphenyl ether	CAS No.: 101-84-8	EC No.: 202-981-2
Results of PBT and vPvB assessment:	This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.	

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Do not allow uncontrolled discharge of product into the environment.

Waste treatment options

Appropriate disposal / Product:

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Consult the appropriate authorities about waste disposal.

Appropriate disposal / Package:

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Nov 2024

Print date: 23 May 2025

Version: 6

Page 17/18

VELO Sweet Papaya Strong [•••] Slim

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precautions for user			
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (Text with EEA relevance)

EUROPEAN PARLIAMENT AND COUNCIL DIRECTIVE 94/62/EC of 20 December 1994 on packaging and packaging waste

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

Chemical safety assessments are not required for mixtures.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DNEL	derived no-effect level
EC ₅₀	Effective Concentration 50%
ECHA	European Chemicals Agency
EN	European Standard
ES	Exposure scenario
HEPA	High Efficiency Particulate Air
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Standards Organisation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 22 Nov 2024

Print date: 23 May 2025

Version: 6

Page 18/18

VELO Sweet Papaya Strong [•••] Slim

LC ₅₀	Lethal (fatal) Concentration 50%
LD ₅₀	Lethal (fatal) Dose 50%
MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Cooperation and Development
OSHA	Occupational Safety & Health Administration
PBT	persistent and bioaccumulative and toxic
PNEC	Predicted No Effect Concentration
QSAR	Quantitative Structure-Activity Relationship
REACH	Registration, Evaluation and Authorization of Chemicals
RID	Dangerous goods regulations for transport by rail
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3. Key literature references and sources for data

European Chemicals Agency, <http://echa.europa.eu/>

Umweltbundesamt, <http://webigoletto.uba.de/rigoletto>

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (oral) (<i>Acute Tox. 4</i>)	H302: Harmful if swallowed.	Calculation method.

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H226	Flammable liquid and vapour.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Supplemental hazard information	
EUH066	Repeated exposure may cause skin dryness or cracking.

16.6. Training advice

Make sure that employees are aware of the intoxication risk. People wearing breathing apparatus must be appropriately trained.

16.7. Additional information

No data available